

MATERIAL SAFETY DATA SHEET
May be used to comply with
OSHA's Hazard Communication
Standard, 29CFR 1910.2100.

U.S. DEPARTMENT OF LABOR
Occupational Safety and
Health Administration
(Non-Mandatory Form)

SECTION I - PRODUCT IDENTIFICATION

006-ANCHOR BRAND NOZZLE GEL

KCI, INC
 3710 N. DAVIDSON STREET
 CHARLOTTE, N.C. 28205

CHEMTREC (24-HOUR) 800-424-9300
INFORMATION 704-372-8435
DATE PREPARED: MARCH 26, 2009

SECTION II-HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

Hazardous components OSHA PEL ACGIH TLV % (optional)
None N/A N/A

The ingredients in this product are not listed in 29 CFR 1910
Subpart 2 nor do they appear in "Threshold Limit Values for
Chemical Substances in the work environment adopted by ACGIH for
1985-86." They are also not reportable under Section 313 of Title III of SARA.

SECTION III-PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: NDA Specific Gravity (H₂O=1) .815-.880
Vapor Pressure: NDA Melting Point: 100.4-140 F
Vapor Density: NDA Evaporation Rate: NDA
(BUTYL=1)

Solubility in Water: NIL
Appearance and Odor: Opaque, no odor
Volatile (by weight %): 0 at 25C.

SECTION IV-FIRE AND EXPLOSION HAZARD DATA

Flash Point (Method Used)	Flammable Limits	LEL	UEL <input type="checkbox"/>
Greater than 390F (astm D-92)	NDA	NDA	NDA <input type="checkbox"/>

Extinguishign Media: Carbon dioxide, dry chemical or foam.
Special Firefighting Procedures: Pressure-demand, self-contained
protection should be provided.
Water spray is an unsuitable
extinguishing agent.

Unusual Fire and Explosion Hazards: NONE

SECTION V-REACTIVITY DATA

Stability Unstable: Conditions to Avoid
NONE

Stable :X

Incompatibility(Materials to Avoid)

N/A

Hazardous Decomposition or Byproducts

N/A

Hazardous Polymerization:

May Occur:

Conditions to Avoid

N/A

Will Not Occur: X

SECTION VI-HEALTH HAZARD DATA

Route(s)of Entry: Inhalation: NO Skin: NO Ingestion: NO

Health Hazards(Acute and Chronic)

Acute-None

Chronic-None

Carcinogenicity: No NTP N/A IARC Monographs N/A OSHA N/A

Signs and Symptoms of Exposure: NDA

Emergency First Aid Procedures:

Eyes:flush eyes with water for
15 minutes. Skin:wash with soap
& water. Inhalation : remove to
fresh air. Call physician.
Ingestion: drink water.

SECTION VII-PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to Be Taken in Case Material Is Released or Spilled:

Shut off leak and dike up large spills. After cooling and solidification, scrape and/or shovel up material. Finally, clean area with an oil absorbent material.

Waste Disposal Method:

Dispose of in accordance with local, state, and federal regulations.

Precautions to Be Taken in Handling and Storing:

Store away from flame, heat (250F) maximum. Also keep away from strong oxidizing agents.

Other Precautions:

None

SECTION VIII-CONTROL MEASURES

Respiratory Protection (Specify type)
None required.

Ventilation: Local Exhaust-N/A Special-N/A
Mechanical- N/A Other-N/A

Protective Gloves- Impervious when molten. Eye Protection-Wear a face shield if product is molten

Other Protective Clothing: When molten ,wear coveralls.

Work/Hygienic Practices: NDA

NEW JERSEY RIGHT TO KNOW INFORMATION (HAZARDOUS & NON-HAZARDOUS)

USP PETROLATUM CAS# 8009-03-8 99.5%
ANTHRAQUINONE BLUE DYE CAS#14233-37-5 .5%

PERCENT VOLATILES: NIL
VOC'S: NONE

HAZARD RATINGS H.M.I.S. RATINGS
FIRE-1 FIRE- 1
REACTIVITY-0 REACTIVITY- 0
TOXICITY-0 HEALTH- 0
SPECIAL-NONE SPECIAL PROTECTIVE EQ.- 0